

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

Chameleon Bis A Free Sheet Fed Offset Ink

Revision 0

Revision date 2015-07-08

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Chameleon Bis A Free Sheet Fed Offset Ink

1.2. Relevant identified uses of the substance or mixture and uses advised against

Description Temperature sensitive, colour change ink.

1.3. Details of the supplier of the safety data sheet

Company LCR Hallcrest Ltd
Address Riverside Buildings
Dock Road
Connah's Quay
Flintshire CH5 4DS
United Kingdom
Web www.lcrhallcrest.com
Telephone +44 (0) 1244 817107
Fax +44 (0)1244 818502
Email sales@lcrhallcrest.com

Intended use

Manufacture of temperature-indicating products and temperature-sensitive decorative effects.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC Xn; R65 R52/53
Symbols: Xn: Harmful.
Main hazards Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Harmful: may cause lung damage if swallowed.
2.1.2. Classification - EC 1272/2008 Asp. Tox. 1: H304;

2.2. Label elements

Hazard pictograms



Signal Word

Danger

Hazard Statement

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Precautionary Statement: Response

P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ .
P331 - Do NOT induce vomiting.

Precautionary Statement: Storage

P405 - Store locked up.

Chameleon Bis A Free Sheet Fed Offset Ink

Revision 0

Revision date 2015-07-08

2.2. Label elements

Precautionary Statement: Disposal	P501 - Dispose of contents/container to approved waste disposal plant or contractor.
--	--

2.3. Other hazards

Other hazards	No data available.
----------------------	--------------------

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Mixed hydrocarbons					10 - 20%	Xn; R65 R66	
Colour developer					1 - 10%	Xi; R36/37/38	
Distillates (petroleum), hydrotreated middle	649-221-00-X	64742-46-7	265-148-2		1 - 10%	Xn; R65 R66-67	
Isotridecanol		68526-86-3	271-235-6		1 - 10%	Xi; R38 N; R51/53	
Rosin maleate polymer with pentaerythritol		68333-69-7	614-421-8		1 - 10%	Xi; R36 R53	
Formaldehyde...%	605-001-00-5	50-00-0	200-001-8		0 - 0.5%	Carc. Cat. 3; R40 T; R23/24/25 C; R34 R43	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Mixed hydrocarbons					10 - 20%	EUH066; Asp. Tox. 1: H304;	
Colour developer					1 - 10%	Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335;	
Distillates (petroleum), hydrotreated middle	649-221-00-X	64742-46-7	265-148-2		1 - 10%	EUH066; Asp. Tox. 1: H304;	
Isotridecanol		68526-86-3	271-235-6		1 - 10%	Aquatic Acute 1: H400;	
Rosin maleate polymer with pentaerythritol		68333-69-7	614-421-8		1 - 10%	Eye Irrit. 2: H319; Aquatic Chronic 4: H413;	

Refer to Section 3.1.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. Seek medical attention.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Irritant, moderate respiratory.
Eye contact	Irritating to eyes.
Skin contact	May cause sensitisation by skin contact. Avoid contact with skin.
Ingestion	Ingestion may cause nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Coughing, difficulty in breathing.
Eye contact	Irritating to eyes. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause sensitisation by skin contact.
Ingestion	If you feel unwell, seek medical advice (show the label where possible). Ingestion may cause nausea and vomiting.

Chameleon Bis A Free Sheet Fed Offset Ink

Revision 0

Revision date 2015-07-08

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Carbon oxides.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4. Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****8.1.1. Exposure Limit Values**

Formaldehyde...%	WEL 8-hr limit ppm:	2	WEL 8-hr limit mg/m3:	2.5
	WEL 15 min limit ppm:	2	WEL 15 min limit mg/m3:	2.5
	WEL 8-hr limit mg/m3 total	-	WEL 15 min limit mg/m3 total	-
	inhalable dust:		inhalable dust:	
	WEL 8-hr limit mg/m3 total	-	WEL 15 min limit mg/m3 total	-
	respirable dust:		respirable dust:	

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).

Chameleon Bis A Free Sheet Fed Offset Ink

Revision 0

Revision date 2015-07-08

8.2. Exposure controls

Respiratory protection	Wear: Suitable respiratory equipment.
------------------------	---------------------------------------

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Paste
Colour	Various colours according to type.
Odour	Mild

SECTION 10: Stability and reactivity

10.1. Reactivity

	No data available.
--	--------------------

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3. Possibility of hazardous reactions

	No Significant Hazard.
--	------------------------

10.4. Conditions to avoid

	Protect from frost.
--	---------------------

10.5. Incompatible materials

	Alkalis.
--	----------

10.6. Hazardous decomposition products

	Formaldehyde may be generated and other harmful fumes.
--	--

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	May cause sensitisation by skin contact.
----------------	--

11.1.4. Toxicological Information

Colour developer	Oral Rat LD50: 3400 mg/kg	
Formaldehyde...%	Inhalation Rat LC50/2H h: 250 ppm	Oral Rat LD50: 500 mg/kg
	Oral Mouse LD50: 500 mg/kg	Inhalation Mouse LC50/2H h: 505 mg/m3
	Dermal Rabbit LD50: 270 mg/kg	

SECTION 12: Ecological information

12.2. Persistence and degradability

	No data is available on this product.
--	---------------------------------------

12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

12.4. Mobility in soil

	No data is available on this product.
--	---------------------------------------

12.5. Results of PBT and vPvB assessment

	No data is available on this product.
--	---------------------------------------

12.6. Other adverse effects

	No data is available on this product.
--	---------------------------------------

SECTION 13: Disposal considerations

Chameleon Bis A Free Sheet Fed Offset Ink

Revision 0

Revision date 2015-07-08

13.1. Waste treatment methods

	Absorb with inert, absorbent material.
--	--

General information

	Dispose of in compliance with all local and national regulations.
--	---

Disposal methods

	Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
--	--

SECTION 14: Transport information

Further information

	The product is not classified as dangerous for carriage.
--	--

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

	For this product a chemical safety assessment was not carried out.
--	--

SECTION 16: Other information

Other information

Text of risk phrases in Section 3	R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed. R34 - Causes burns. R36/37/38 - Irritating to eyes, respiratory system and skin. R36 - Irritating to eyes. R38 - Irritating to skin. R40 - Limited evidence of a carcinogenic effect. R43 - May cause sensitisation by skin contact. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R53 - May cause long-term adverse effects in the aquatic environment. R65 - Harmful: may cause lung damage if swallowed. R66 - Repeated exposure may cause skin dryness or cracking. R67 - Vapours may cause drowsiness and dizziness.
Text of Hazard Statements in Section 3	EUH066 - Repeated exposure may cause skin dryness or cracking. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H335 - May cause respiratory irritation. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 4: H413 - May cause long lasting harmful effects to aquatic life.

Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--

HMIS LABELLING

HEALTH 1., FLAMMABILITY 0., PHYSICAL HAZARD 0. PERSONAL PROTECTION: E.

Chameleon Bis A Free Sheet Fed Offset Ink

Revision 0

Revision date 2015-07-08
